JÜLICH
FORSCHUNGSZENTRUM

Invenio @ HGF

JuSER

June 17, 2013 | Alexander Wagner |

Mitglied der Helmholtz-Gemeinschaft

Overview

- History
- Basic Usage
- Installation
- Backend

Mitglied der Helmholtz-Gemeinschaft

JÜLICH
FORSCHUNGSZENTRUM

Invenio @ HGF

Part I: History

June 17, 2013 | Alexander Wagner

Mitglied der Helmholtz-Gemeinschaft

VDB and JUWEL

Publications database **VDB**:

- Centralized database of the scientific output
- > 62.000 entries from $\approx$ 13 years ($\approx +4800/a$)
- Obligatory input[1] (editors at each institute, crosschecked by ZB)

[1] cf. Publication Guidelines

Mitglied der Helmholtz-Gemeinschaft

VDB and JUWEL

Publications database **VDB**:

- Centralized database of the scientific output
- > 62.000 entries from $\approx$ 13 years ($\approx +4800/a$)
- Obligatory input[1] (editors at each institute, crosschecked by ZB)
- Basis for
  - Scientific Report
  - Evaluations
  - Publication lists (e. g. WWW)

[1] cf. Publication Guidelines

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Forschungszentrum Jülich – Publikationen – Iceweasel

File Edit View History Bookmarks Tools Help Search News Bank Uni Bib Comp Cam

w.fz-juelich.de/inm/inm-1/DE/Service/Publikationslisten/publikationslisten_node.html JuSER

Suchbegriff MITARBEITERSUCHE | DEUTSCH | ENGLISH Institutswegweiser

JÜLICH FORSCHUNGSZENTRUM

Institut für Neurowissenschaften und Medizin
Strukturelle und funktionelle Organisation des Gehirns (INM-1)

AKTUELLES FORSCHUNG LEISTUNGEN KARRIERE ÜBER UNS

INM-1 Forschung Publikationen

FORSCHUNG

- Architektonik und Hirnfunktion
- Multimodale Bildverarbeitung
- Modellierung kortikaler Systeme
- Genomic Imaging
- **Publikationen**

SERVICE

- Ansprechpartner
- Mitarbeiter
- Publikationen
- Anfahrt
- Downloads

Zeitschriftenbeiträge 2012

Amunts, K. ; Zilles, K.
Architecture and organizational principles of Brocas region
Trends in cognitive sciences **16,** 418 - 426 (2012) [10.1016/j.tics.2012.06.005]
S·F·X

Bis, J. C. ; et, a.
Common variants at 12q14 and 12q24 are associated with hippocampal volume
Nature genetics **44,** 545 - 551 (2012) [10.1038/ng.2237] S·F·X

Boutros, N. N. ; Gjini, K. ; Eickhoff, S. B. ; Urbach, H. ; Pflieger, M. E.
Mapping repetition suppression of the P50 evoked response to the human cerebral cortex
Clinical neurophysiology **00,** 00 (2012) [10.1016/j.cinph.2012.10.007] S·F·X

In Print

Bzdok, D. ; Laird, A. ; Zilles, K. ; Fox, P. ; Eickhoff, S. B.
An investigation of the structural, connectional, and functional sub-specialization in the human amygdala
Human brain mapping (2012) [10.1002/hbm.22138] S·F·X

Bzdok, D. ; Schilbach, L. ; Vogeley, K. ; Schneider, K. ; Laird, A. R. ; Langner, R. ; Eickhoff, S. B.
Parsing the neural correlates of moral cognition: ALE meta-analysis on morality, theory of mind, and empathy
Brain structure & function **217,** 783 - 796 (2012) [10.1007/s00429-012-0380-y]
S·F·X

PUBLIKATIONEN INM-1

- Publikationen 2011
- Publikationen 2010
- Publikationen 2009
- Publikationen 2008

→ Mehr

VDB and JUWEL

Publications database **VDB**:

- Centralized database of the scientific output
- > 62.000 entries from $\approx$ 13 years ($\approx +4800/a$)
- Obligatory input[2] (editors at each institute, crosschecked by ZB)
- Basis for
  - Scientific Report
  - Evaluations
  - Publication lists (e. g. WWW)

JUWEL:

- Berlin Declaration for Open Access
- Institutional repository ($\approx$ 4500 full text files, $\approx +560/a$)

[2] cf. Publication Guidelines

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Longitudinal deformation-based morphometry reveals spatio-temporal dynamics of brain volume changes in patients with corticobasal syndrome - JuSER - Mozilla Firefox

File Edit View History Bookmarks Tools Help Most Visited Search News Uni FR Bib Wiki SRV Chess Comp

juser.fz-juelich.de/record/130981 Startpage (SSL)

admin :: Abmelden

JuSER

JÜLICH FORSCHUNGSZENTRUM

SUCHEN ABSENDEN PERSONALISIEREN HILFE VERWALTUNG

Hauptseite > Longitudinal deformation-based morphometry reveals spatio-temporal dynamics of brain volume changes in patients with corticobasal syndrome

Information Diskussion Dateien Plots

Journal Article FZJ-2012-00157

Longitudinal deformation-based morphometry reveals spatio-temporal dynamics of brain volume changes in patients with corticobasal syndrome

Pieperhoff, Peter* ; Ferrea, Stefano ; Krause, Holger ; Groiss, Stefan Jun ; Elben, Saskia ; Wojtecki, Lars ; Zilles, Karl* ; Amunts, Katrin* ; Schnitzler, Alfons ; Südmeier, M (Corresponding author)

2012
PLoS Lawrence, Kan.

Published in: PLoS one 7 (7) e41873 - [10.1371/journal.pone.0041873] SFX

Pubmed; OPEN ACCESS Pubmed Central Fulltext;
Web of Science (WOS); Citing articles (WOS); Related articles (WOS)

Report No.: FZJ-2012-00157

Abstract: Corticobasal syndrome (CBS) is a rare neurodegenerative disorder characterized by a progressive and asymmetric manifestation of cortical and basal-ganglia symptoms of different origin. The spatio-temporal dynamics of cerebral atrophy in CBS is barely known. This study aimed to longitudinally quantify the individual dynamics of brain volume changes in patients with CBS as compared

Contributing Institute(s):

1. Strukturelle und funktionelle Organisation des Gehirns (INM-1)
2. Zentralbibliothek (ZB)

Research Program(s):

1. 332 - Imaging the Living Brain (POF2-332) (Gesundheit)

Appears in the scientific report 2012

Database coverage:

Due to reporting requirements: 3 step document flow

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Due to reporting requirements: 3 step document flow



Thanks to H. Lexis

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

JuSER – Main features

- Import interfaces (improve data quality, ease up input)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

JuSER – Main features

- Import interfaces (improve data quality, ease up input)
- Exports to BibTeX/EndNote (Integrate with citations management)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

JuSER – Main features

- Import interfaces (improve data quality, ease up input)
- Exports to BibTeX/EndNote (Integrate with citations management)
- Institute collections (collect and share documents)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

JuSER – Main features

- Import interfaces (improve data quality, ease up input)
- Exports to BibTeX/EndNote (Integrate with citations management)
- Institute collections (collect and share documents)
- Add full texts

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

JuSER – Main features

- Import interfaces (improve data quality, ease up input)
- Exports to BibTeX/EndNote (Integrate with citations management)
- Institute collections (collect and share documents)
- Add full texts
- Normalize as much as possible (Key: Authorities)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

JuSER – Main features

- Import interfaces (improve data quality, ease up input)
- Exports to BibTeX/EndNote (Integrate with citations management)
- Institute collections (collect and share documents)
- Add full texts
- Normalize as much as possible (Key: Authorities)
  - Authors (tell apart Meier and Meier)
  - Institutes
  - Journals
  - Projects (POF, EU, . . .)
  - . . .

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

JuSER – Main features

- Import interfaces (improve data quality, ease up input)
- Exports to BibTeX/EndNote (Integrate with citations management)
- Institute collections (collect and share documents)
- Add full texts
- Normalize as much as possible (Key: Authorities)
  - Authors (tell apart Meier and Meier)
  - Institutes
  - Journals
  - Projects (POF, EU, . . .)
  - . . .

. . . Users don't need to care about technical details . . .

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Collections

- Publicationsdatabase: Publications from Jülich

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

Collections

- Publicationsdatabase: Publications from Jülich
- Documents in Print:
  - approved by institutes editor
  - not approved by the library
  - e. g. papers just available Online (missing bibliographic data e. g. pages, volume)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Collections

- Publicationsdatabase: Publications from Jülich
- Documents in Print:
  - approved by institutes editor
  - not approved by the library
  - e. g. papers just available Online (missing bibliographic data e. g. pages, volume)
  - already visible on institutes web pages

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Collections

- Publicationsdatabase: Publications from Jülich
- Documents in Print:
  - approved by institutes editor
  - not approved by the library
  - e. g. papers just available Online (missing bibliographic data e. g. pages, volume)
  - already visible on institutes web pages
- OpenAccess repository JUWEL

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Collections

- Publicationsdatabase: Publications from Jülich
- Documents in Print:
  - approved by institutes editor
  - not approved by the library
  - e. g. papers just available Online (missing bibliographic data e. g. pages, volume)
  - already visible on institutes web pages
- OpenAccess repository JUWEL
- Institute Collections:
  - Institutes private workspace
  - e. g. drafts, collected literature, journal clubs . . .
  - Access for members of the institue only
- Authorities

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

JuSER - JuSER - Mozilla Firefox

File Edit View History Bookmarks Tools Help Search News Uni FR Bib Wiki SRV Chess Comp Tiny

juser.fz-juelich.de/?ln=en JuSER

admin :: logout

JuSER

JÜLICH FORSCHUNGSZENTRUM

SEARCH SUBMIT PERSONALIZE HELP ADMINISTRATION

Search 128,357 records for:

any field Search Browse

→ Search Tips :: → Advanced Search

Narrow by collection:

- → **Publications database** (64,428)
- → **Documents in print** (102)
- → **JUWEL** (2,583)
- → **Institute Collections** (56,073)
  - → B (0) → BFC (0) → BR (0) → BSG (0) → DSB (0) → ETN (0) → F (0) → FA.PARTEC (0) → FD (0)
  - → FGZ (0) → FS (0) → G (0) → GRS (0) → IAS (1,293) → IBG (5,945) → IBN (2,184) → IBOC (0)
  - → ICS (6,201) → IEK (15,949) → IKM (0) → IKP (3,759) → IMET (19) → INB (2,982) → INM (3,894)
  - → ITS (0) → JARA (0) → JCNS (1,992) → JSC (4,013) → JULAB (0) → KME (0) → M (0) → MOD (0)
  - → N (0) → NIC (222) → O (0) → P (0) → PGI (11,089) → PTJ (0) → R (0) → REV (0) → S (0) → SL (0)
  - → T (0) → TB (0) → UE (0) → UK (0) → US (0) → VB (1) → VS (0) → WTR (0) → ZAT (461) → ZB (394)
  - → ZC (0) → ZCH (869) → ZEL (936)
- → **Authorities** (63,269)
  - → Grants (15,266) → Institutions (2) → Institutes (437) → People (18,108) → Periodicals (29,391)
  - → Publication types (35) → Statistics keys (25) → Controlled vocabulary (7)

Focus on:

- → **Document types** (64,538)
- → Articles (17,733) → Books (7,429)
- → Events (75) → Other Resources (0)
- → Patents (2) → Presentations (43,026)
- → Reports (868) → Theses (2,138)
- → Unpublished (0)

QUICK LINKS

- Central Library
- Library Catalogue
- Literature Request
- Reading Room
- Publishing House
- Subject Information Portal
- Recent additions
- In Print

Institute Collections

JuSER can hold documents beyond own publications

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

Institute Collections

JuSER can hold documents beyond own publications

- webbased literature management
- document exchange at the institutes
- centralized collection of papers
- easy export to formatting tools (BibTEX, EndNote)
- commenting (individual and in group)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Institute Collections

JuSER can hold documents beyond own publications

- webbased literature management
- document exchange at the institutes
- centralized collection of papers
- easy export to formatting tools (BibTEX, EndNote)
- commenting (individual and in group)

- Institute collections require proper login
- Non-VDB relevant items do not show up on the webpage
- ZB does not care about usage

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

JÜLICH
FORSCHUNGSZENTRUM

Invenio @ HGF

Part II: Basic Usage

June 17, 2013 | Alexander Wagner

Mitglied der Helmholtz-Gemeinschaft

Submit

1. Log in (LDAP based)
2. Select Submit from the main menu (http://juser.fz-juelich.de/submit)
3. Select document type

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

Submit

1. Log in (LDAP based)
2. Select Submit from the main menu (http://juser.fz-juelich.de/submit)
3. Select document type
4. Fill in the submit form

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Submit

1. Log in (LDAP based)
2. Select Submit from the main menu (http://juser.fz-juelich.de/submit)
3. Select document type
4. Fill in the submit form
   - import if possible (doi, pmid, arXiv, inspire, own recs. . .)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Submit

1. Log in (LDAP based)
2. Select Submit from the main menu (http://juser.fz-juelich.de/submit)
3. Select document type
4. Fill in the submit form
   - import if possible (doi, pmid, arXiv, inspire, own recs. . .)
   - take care of the authors
   - Own publication? ⇒ VDB-Relevant = yes

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Submit

1. Log in (LDAP based)
2. Select Submit from the main menu (http://juser.fz-juelich.de/submit)
3. Select document type
4. Fill in the submit form
   - import if possible (doi, pmid, arXiv, inspire, own recs. . .)
   - take care of the authors
   - Own publication? ⇒ VDB-Relevant = yes
5. Add full text
6. Submit it:

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Submit

1. Log in (LDAP based)
2. Select Submit from the main menu (http://juser.fz-juelich.de/submit)
3. Select document type
4. Fill in the submit form
   - import if possible (doi, pmid, arXiv, inspire, own recs. . .)
   - take care of the authors
   - Own publication? ⇒ VDB-Relevant = yes
5. Add full text
6. Submit it:
   - “Finish & Release” (proceed to next level in workflow)
   - “Postpone” (generates TEMPENTRY)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Submit

1. Log in (LDAP based)
2. Select Submit from the main menu (http://juser.fz-juelich.de/submit)
3. Select document type
4. Fill in the submit form
   - import if possible (doi, pmid, arXiv, inspire, own recs. . .)
   - take care of the authors
   - Own publication? ⇒ VDB-Relevant = yes
5. Add full text
6. Submit it:
   - “Finish & Release” (proceed to next level in workflow)
   - “Postpone” (generates `TEMPENTRY`)

Permissions & workflow: quite complex collection structure

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Book

Import data

VDB Relevant yes no

Supported by FZJ-Employee yes no

Institute(s)

R&D Section

Grant Name

Report Number

Author(s)

Title

Publication Year

Language

Conference name

Acronym

City

Country

Begin

End

ISBN

Extent

Edition

Publisher

Publisher`s City

Series

Volume

Abstract

Additional Information

Please upload your full text

Durchsuchen...

Finish & Release

Postpone

Field designations

Red: mandantory for a full bibliographic description

Black: might not all apply

Blue: save manual work!

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Field designations

Red: mandantory for a full bibliographic description

Black: might not all apply

Blue: save manual work!

Import data

. . . is always available and allows to fetch data from external or internal sources.

PS: is the manual (Wiki-based, german and english)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Import HowTo

- DOI: insert doi or dx.doi.org-url (e. g. 10.1016/j.physletb.2006.11.038)
- `pubmed` : copy as displayed (e. g. PMID: 20923669)
- `arXiv.org` : copy as displayed (e. g. arxiv:hep-ph/0610431)
- inspire: use URL
- own: `recid:` + record-Id or `037__a` (e. g. recid:FZJ-2013-00499)
- ISBN: use the ISBN-field for this import

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Import HowTo

- DOI: insert doi or dx.doi.org-url (e. g. 10.1016/j.physletb.2006.11.038)
- `pubmed` : copy as displayed (e. g. PMID: 20923669)
- `arXiv.org` : copy as displayed (e. g. arxiv:hep-ph/0610431)
- inspire: use URL
- own: `recid:` + record-Id or `037__a` (e. g. recid:FZJ-2013-00499)
- ISBN: use the ISBN-field for this import



Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Import HowTo

- DOI: insert doi or dx.doi.org-url (e. g. 10.1016/j.physletb.2006.11.038)
- `pubmed` : copy as displayed (e. g. PMID: 20923669)
- `arXiv.org` : copy as displayed (e. g. arxiv:hep-ph/0610431)
- inspire: use URL
- own: `recid:` + record-Id or `037__a` (e. g. recid:FZJ-2013-00499)
- ISBN: use the ISBN-field for this import





Mitglied der Helmholtz-Gemeinschaft

Duplicate entries



At import via doi, pmid, arXiv. . . JuSER

- can identify potential duplicates
- refuses the import
- shows links to the potential dupes

Mitglied der Helmholtz-Gemeinschaft

E. g. DOI Import

Journal Article

Import data | VDB Relevant → ○ yes ○ no | Supported by FZJ-Employee ○ yes ○ no

Institute(s) | R&D Section

Grant Name

Author(s)
- Jiang, X. J. (Extern) Corresponding author
- Shore, P. (Extern) Author
- McKeown, P. (Extern) Author
- Whitehouse, D. J. (Extern) Author
- Ruffles, P. C. (Extern) Author

Title: Ultra-precision engineering: from physics to manufacturing

Journal: Philosophical transactions of the Royal Society of London / A | DOI: 10.1098/rsta.2012.0

Volume: 370 | Issue: 1973 | Pages: 3831 - 383

Publication Year: 2012 | Language

Conference name | Acronym | City

Country | Begin | End | Publisher: Soc. | Publisher`s City: London

Abstract

Most red fields are filled in already!

Mitglied der Helmholtz-Gemeinschaft

Authors

Upon import

authors are a mere guesses by the system. Check them!

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authors

Upon import

authors are a mere guesses by the system. Check them!

- : confirm the guess
- : correct a wrong guess
- : remove an entry
- : clear the whole list

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authors

Upon import

authors are a mere guesses by the system. Check them!

- : confirm the guess
- : correct a wrong guess
- : remove an entry
- : clear the whole list

- Associate only authors that show an email address/institute
- If unsure, leave them red

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Author input and association

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Author input and association



Note: ZB covers publication costs if the *corresponding author* is from Jülich.

Mitglied der Helmholtz-Gemeinschaft

Author input and association



Note: ZB covers publication costs if the *corresponding author* is from Jülich.

Mitglied der Helmholtz-Gemeinschaft

Author input and association



Note: ZB covers publication costs if the *corresponding author* is from Jülich.

Mitglied der Helmholtz-Gemeinschaft

Author input and association



Note: ZB covers publication costs if the *corresponding author* is from Jülich.

Mitglied der Helmholtz-Gemeinschaft

Author input and association



Note: ZB covers publication costs if the *corresponding author* is from Jülich.

Mitglied der Helmholtz-Gemeinschaft

Own publications

Author association

allows easy extraction of individual and exact publication lists.

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Own publications

Author association

allows easy extraction of individual and exact publication lists.



Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Claim work (required only once!)

1. Log in
2. Navigate to: Authorities / People (http://juser.fz-juelich.de/collection/People)
3. Search for own name (e. g. `'Hofmann, D'`)
4. Note the IDs in question (e. g. `P:(DE-Juel1)VDB63458` and `P:(DE-Juel1)129471`)
5. Open details and check the records found by the link
   `All known publications` (below the list of recent publications)
6. notify `juser@fz-juelich.de`

   (e. g. if the above two people are the same, we need both ids to join them)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Claim work (required only once!)

1. Log in
2. Navigate to: Authorities / People (http://juser.fz-juelich.de/collection/People)
3. Search for own name (e. g. `'Hofmann, D'`)
4. Note the IDs in question (e. g. `P:(DE-Juel1)VDB63458` and `P:(DE-Juel1)129471`)
5. Open details and check the records found by the link `All known publications` (below the list of recent publications)
6. notify `juser@fz-juelich.de`

   (e. g. if the above two people are the same, we need both ids to join them)

To search own publications use `aid:` and own ID in quotes (“”)

e. g. ➡ `aid:“P:(DE-Juel1)133794”`

Want only first authorships? Use `fai` instead of `aid`.

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

JÜLICH
FORSCHUNGSZENTRUM

Invenio @ HGF

Part III: Installation

June 17, 2013 | Alexander Wagner

Mitglied der Helmholtz-Gemeinschaft

Repositories @ HGF

Roll out and desaster recovery

the same code on at least 5 different instances and keep it consistent by avoiding manual configuration.

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Repositories @ HGF

Roll out and desaster recovery

the same code on at least 5 different instances and keep it consistent by avoiding manual configuration.

- git: `cds-invenio` (centrally kept at DESY)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Repositories @ HGF

Roll out and desaster recovery

the same code on at least 5 different instances and keep it consistent by avoiding manual configuration.

- git: `cds-invenio` (centrally kept at DESY)
  - CERN git at “our” commit
  - used for base system
  - applied by `configure/make/make install`

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Repositories @ HGF

Roll out and desaster recovery

the same code on at least 5 different instances and keep it consistent by avoiding manual configuration.

- git: `cds-invenio` (centrally kept at DESY)
  - CERN git at “our” commit
  - used for base system
  - applied by `configure/make/make install`
- git: `hgf-invenio` (centrally kept at DESY)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Repositories @ HGF

Roll out and desaster recovery

the same code on at least 5 different instances and keep it consistent by avoiding manual configuration.

- git: `cds-invenio` (centrally kept at DESY)
  - CERN git at “our” commit
  - used for base system
  - applied by `configure/make/make install`
- git: `hgf-invenio` (centrally kept at DESY)
  - overlay for our instances (our additions)
  - our patches (no replacements!)
  - directory structure like `/opt/invenio`
  - setup routines for roll-out (e. g. collections, rolles, doctypes. . .)
  - instances configs

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists
- sets up from scratch or to a given point

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists
- sets up from scratch or to a given point
- compiles and installs INVENIO-src

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists
- sets up from scratch or to a given point
- compiles and installs INVENIO-src
- applies hgf patches and configs

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists
- sets up from scratch or to a given point
- compiles and installs INVENIO-src
- applies hgf patches and configs
- applies global and local customizations

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists
- sets up from scratch or to a given point
- compiles and installs INVENIO-src
- applies hgf patches and configs
- applies global and local customizations
- procedures based upon GUI functionality

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists
- sets up from scratch or to a given point
- compiles and installs INVENIO-src
- applies hgf patches and configs
- applies global and local customizations
- procedures based upon GUI functionality
- no need to mouse click in the GUI

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists
- sets up from scratch or to a given point
- compiles and installs INVENIO-src
- applies hgf patches and configs
- applies global and local customizations
- procedures based upon GUI functionality
- no need to mouse click in the GUI
- enables desaster recovery

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

InstallInvenio

InstallInvenio

sets up the whole instance at each partner in the proper layout including all global (hgf) and local configs

- assumes all deps are met and database exists
- sets up from scratch or to a given point
- compiles and installs INVENIO-src
- applies hgf patches and configs
- applies global and local customizations
- procedures based upon GUI functionality
- no need to mouse click in the GUI
- enables desaster recovery
- allows setup of an identical test environment

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

JÜLICH
FORSCHUNGSZENTRUM

Invenio @ HGF

Part IV: Backend

June 17, 2013 | Alexander Wagner

Mitglied der Helmholtz-Gemeinschaft

HGF “specifics”

Broad areas of research

some INVENIO-HEP-specifics just don’t work

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

HGF “specifics”

Broad areas of research

some INVENIO-HEP-specifics just don’t work

- Journal handling based on IDs, not names (hook up ZDB)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

HGF “specifics”

Broad areas of research

some INVENIO-HEP-specifics just don’t work

- Journal handling based on IDs, not names (hook up ZDB)
- allow for ingest of foreign data (e. g. ebook packages)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

HGF “specifics”

Broad areas of research

some INVENIO-HEP-specifics just don’t work

- Journal handling based on IDs, not names (hook up ZDB)
- allow for ingest of foreign data (e. g. ebook packages)
  - important in context of a libraries catalogue
  - stick to MARC definitions (Library of Congress)
  - avoid specialities (exceptions: 9xx)
  - implies adoption even of default defs (e. g. internal Marc, BibTEX)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

HGF “specifics”

Broad areas of research

some INVENIO-HEP-specifics just don’t work

- Journal handling based on IDs, not names (hook up ZDB)
- allow for ingest of foreign data (e. g. ebook packages)
  - important in context of a libraries catalogue
  - stick to MARC definitions (Library of Congress)
  - avoid specialities (exceptions: 9xx)
  - implies adoption even of default defs (e. g. internal Marc, BibTEX)
- Normalize all you can get

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

HGF “specifics”

Broad areas of research

some INVENIO-HEP-specifics just don’t work

- Journal handling based on IDs, not names (hook up ZDB)
- allow for ingest of foreign data (e. g. ebook packages)
  - important in context of a libraries catalogue
  - stick to MARC definitions (Library of Congress)
  - avoid specialities (exceptions: 9xx)
  - implies adoption even of default defs (e. g. internal Marc, BibTEX)
- Normalize all you can get
  - to be handled by uses & librarians, not programmers
  - vitally important: Authorities

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

HGF-Modules

- Importer: (crossref, pubmed, GVK, arXiv.org, inspire...)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

HGF-Modules

- Importer: (crossref, pubmed, GVK, arXiv.org, inspire...)
  - hook up with web services
  - reuse old code bascially in perl (to be rewritten to Python as time allows)
  - add new stuff in Python

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

HGF-Modules

- Importer: (crossref, pubmed, GVK, arXiv.org, inspire...)
  - hook up with web services
  - reuse old code bascially in perl (to be rewritten to Python as time allows)
  - add new stuff in Python
- HGFImport.py (call externals but allow for permission checking)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

HGF-Modules

- Importer: (crossref, pubmed, GVK, arXiv.org, inspire...)
  - hook up with web services
  - reuse old code bascially in perl (to be rewritten to Python as time allows)
  - add new stuff in Python
- HGFImport.py (call externals but allow for permission checking)
- HandleNames.py (author guessing)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

HGF-Modules

- Importer: (crossref, pubmed, GVK, arXiv.org, inspire...)
  - hook up with web services
  - reuse old code bascially in perl (to be rewritten to Python as time allows)
  - add new stuff in Python
- HGFImport.py (call externals but allow for permission checking)
- HandleNames.py (author guessing)
- JSGetAllChildren.py (recurse to the end of tree like MARC structures)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

HGF-Modules

- Importer: (crossref, pubmed, GVK, arXiv.org, inspire...)
  - hook up with web services
  - reuse old code bascially in perl (to be rewritten to Python as time allows)
  - add new stuff in Python
- HGFImport.py (call externals but allow for permission checking)
- HandleNames.py (author guessing)
- JSGetAllChildren.py (recurse to the end of tree like MARC structures)
- PubExporter.py (handle specifics needed for web export)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

HGF-Modules

- Importer: (crossref, pubmed, GVK, arXiv.org, inspire...)
  - hook up with web services
  - reuse old code bascially in perl (to be rewritten to Python as time allows)
  - add new stuff in Python
- HGFImport.py (call externals but allow for permission checking)
- HandleNames.py (author guessing)
- JSGetAllChildren.py (recurse to the end of tree like MARC structures)
- PubExporter.py (handle specifics needed for web export)

Other functions

Always try to use INVENIO functions like alerts, baskets, ...

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

HGF-Modules

- Importer: (crossref, pubmed, GVK, arXiv.org, inspire...)
  - hook up with web services
  - reuse old code bascially in perl (to be rewritten to Python as time allows)
  - add new stuff in Python
- HGFImport.py (call externals but allow for permission checking)
- HandleNames.py (author guessing)
- JSGetAllChildren.py (recurse to the end of tree like MARC structures)
- PubExporter.py (handle specifics needed for web export)

Other functions

Always try to use INVENIO functions like alerts, baskets, ...

Every unwritten line of code is a good line of code!

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- People e. g. authors

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- People e. g. authors
  - individualize(!) local authors
  - entries are real people, not names (distinguish Wagner, A. and Wagner, A.)
  - connect to local institutes (incl. history)
  - allow interchange of records (e. g. Jülich with RWTH Aachen and MLZ)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- People e. g. authors
  - individualize(!) local authors
  - entries are real people, not names (distinguish Wagner, A. and Wagner, A.)
  - connect to local institutes (incl. history)
  - allow interchange of records (e. g. Jülich with RWTH Aachen and MLZ)
- Institutes (people-like aggregates)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- People e. g. authors
  - individualize(!) local authors
  - entries are real people, not names (distinguish Wagner, A. and Wagner, A.)
  - connect to local institutes (incl. history)
  - allow interchange of records (e. g. Jülich with RWTH Aachen and MLZ)
- Institutes (people-like aggregates)
  - keep track of history (renaming, merging, splitting)
  - horizonal and vertical linkage
  - complex topography in names (e. g. loops)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Authorities: Types of Records

- People e. g. authors
  - individualize(!) local authors
  - entries are real people, not names (distinguish Wagner, A. and Wagner, A.)
  - connect to local institutes (incl. history)
  - allow interchange of records (e. g. Jülich with RWTH Aachen and MLZ)
- Institutes (people-like aggregates)
  - keep track of history (renaming, merging, splitting)
  - horizonal and vertical linkage
  - complex topography in names (e. g. loops)
- Grants (money-like aggregats)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Authorities: Types of Records

- People e. g. authors
  - individualize(!) local authors
  - entries are real people, not names (distinguish Wagner, A. and Wagner, A.)
  - connect to local institutes (incl. history)
  - allow interchange of records (e. g. Jülich with RWTH Aachen and MLZ)
- Institutes (people-like aggregates)
  - keep track of history (renaming, merging, splitting)
  - horizonal and vertical linkage
  - complex topography in names (e. g. loops)
- Grants (money-like aggregats)
  - horizoncal as well as vertical connections
  - different types (POF (HGF-specific), EU, DFG, . . .)
  - flexibly extensible by librarians
  - visibility in websubmit depending on instance

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Authorities: Types of Records

- Periodicals, Journals

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- Periodicals, Journals
  - need ≈ 30.000 journals (links to german ZDB and EZB)
  - complex external tool to build up records
  - autogenerated/updated once a year (trigger: new JCR)
  - allow harvesting of records generated
  - contain statistics keys for evaluation
  - print and online edition are one journal (ISSN does not work as key)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- Periodicals, Journals
  - need $\approx$ 30.000 journals (links to german ZDB and EZB)
  - complex external tool to build up records
  - autogenerated/updated once a year (trigger: new JCR)
  - allow harvesting of records generated
  - contain statistics keys for evaluation
  - print and online edition are one journal (ISSN does not work as key)
- Statistics keys

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- Periodicals, Journals
  - need $\approx$ 30.000 journals (links to german ZDB and EZB)
  - complex external tool to build up records
  - autogenerated/updated once a year (trigger: new JCR)
  - allow harvesting of records generated
  - contain statistics keys for evaluation
  - print and online edition are one journal (ISSN does not work as key)
- Statistics keys
  - database coverage (journal listed in Scopus or Web of Science, JCR or pubmed ...)
  - OpenAccess designation
  - license identifier (Allianz-licensing)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- Periodicals, Journals
  - need $\approx$ 30.000 journals (links to german ZDB and EZB)
  - complex external tool to build up records
  - autogenerated/updated once a year (trigger: new JCR)
  - allow harvesting of records generated
  - contain statistics keys for evaluation
  - print and online edition are one journal (ISSN does not work as key)
- Statistics keys
  - database coverage (journal listed in `Scopus` or `Web of Science`, JCR or `pubmed` ...)
  - OpenAccess designation
  - license identifier (Allianz-licensing)
- Vocabulary

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Authorities: Types of Records

- Periodicals, Journals
  - need ≈ 30.000 journals (links to german ZDB and EZB)
  - complex external tool to build up records
  - autogenerated/updated once a year (trigger: new JCR)
  - allow harvesting of records generated
  - contain statistics keys for evaluation
  - print and online edition are one journal (ISSN does not work as key)
- Statistics keys
  - database coverage (journal listed in Scopus or Web of Science, JCR or pubmed ...)
  - OpenAccess designation
  - license identifier (Allianz-licensing)
- Vocabulary
  - allow for classifications (e. g. POF level)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)
- browser independent (needs to cover at least IE8+, Safari, FireFox on Win, Mac and Linux)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)
- browser independent (needs to cover at least IE8+, Safari, FireFox on Win, Mac and Linux)
- Tokeninput (heavily extended and debugged(!) version of jquery.tokeninput)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)
- browser independent (needs to cover at least IE8+, Safari, FireFox on Win, Mac and Linux)
- Tokeninput (heavily extended and debugged(!) version of jquery.tokeninput)
  - institutes
  - authors
  - grants

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)
- browser independent (needs to cover at least IE8+, Safari, FireFox on Win, Mac and Linux)
- Tokeninput (heavily extended and debugged(!) version of jquery.tokeninput)
  - institutes
  - authors
  - grants
- JSON-returns from the backend

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)
- browser independent (needs to cover at least IE8+, Safari, FireFox on Win, Mac and Linux)
- Tokeninput (heavily extended and debugged(!) version of jquery.tokeninput)
  - institutes
  - authors
  - grants
- JSON-returns from the backend
- avoid program logic (backend has to deliver ready to use data)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)
- browser independent (needs to cover at least IE8+, Safari, FireFox on Win, Mac and Linux)
- Tokeninput (heavily extended and debugged(!) version of jquery.tokeninput)
  - institutes
  - authors
  - grants
- JSON-returns from the backend
- avoid program logic (backend has to deliver ready to use data)
- use encoding scheme for returns (allow processing in loops)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)
- browser independent (needs to cover at least IE8+, Safari, FireFox on Win, Mac and Linux)
- Tokeninput (heavily extended and debugged(!) version of jquery.tokeninput)
  - institutes
  - authors
  - grants
- JSON-returns from the backend
- avoid program logic (backend has to deliver ready to use data)
- use encoding scheme for returns (allow processing in loops)
- define hidden subfields to keep structures (e. g. repeatable fields)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Frontend

- rich, browserbased GUI: (AJAX and CSS)
- JavaScript (JQuery + x)
- use few different elements (mainly tokeninput, autocomplete, datepicker)
- browser independent (needs to cover at least IE8+, Safari, FireFox on Win, Mac and Linux)
- Tokeninput (heavily extended and debugged(!) version of jquery.tokeninput)
  - institutes
  - authors
  - grants
- JSON-returns from the backend
- avoid program logic (backend has to deliver ready to use data)
- use encoding scheme for returns (allow processing in loops)
- define hidden subfields to keep structures (e. g. repeatable fields)
- invisibly enrich data from the backend (e. g. IDs, DDC, statistics keys. . .)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

New stuff for Websubmit

- repeatable fields (tokeninputs)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

New stuff for Websubmit

- repeatable fields (tokeninputs)
  - authors
  - grants
  - institutes
  - ...

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

New stuff for Websubmit

- repeatable fields (tokeninputs)
  - authors
  - grants
  - institutes
  - ...
- structured fields (mostly hidden)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

New stuff for Websubmit

- repeatable fields (tokeninputs)
  - authors
  - grants
  - institutes
  - ...
- structured fields (mostly hidden)
  - Identfiers
  - statistics keys

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

New stuff for Websubmit

- repeatable fields (tokeninputs)
  - authors
  - grants
  - institutes
  - ...
- structured fields (mostly hidden)
  - Identfiers
  - statistics keys

Handling

Add hidden fields for all visible fields and do the fancy stuff there.
Pass on string encoded JSON structures.

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Backend

Expose records in JSON structures to JavaScript

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

Backend

Expose records in JSON structures to JavaScript

- no repeatable subfields simplifies JSON

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Backend

Expose records in JSON structures to JavaScript

- no repeatable subfields simplifies JSON
- define new output format: JS

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Backend

Expose records in JSON structures to JavaScript

- no repeatable subfields simplifies JSON
- define new output format: JS
- define format templates for each record type

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Backend

Expose records in JSON structures to JavaScript

- no repeatable subfields simplifies JSON
- define new output format: JS
- define format templates for each record type
  - use webbased frontend if possible
  - use pythonic BFE only for complex stuff
  - complex returns as ready to use text (i. e. escape substructures to strings)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Backend

Expose records in JSON structures to JavaScript

- no repeatable subfields simplifies JSON
- define new output format: JS
- define format templates for each record type
  - use webbased frontend if possible
  - use pythonic BFE only for complex stuff
  - complex returns as ready to use text (i. e. escape substructures to strings)
- return hashes keyed as MARC:

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Backend

Expose records in JSON structures to JavaScript

- no repeatable subfields simplifies JSON
- define new output format: JS
- define format templates for each record type
  - use webbased frontend if possible
  - use pythonic BFE only for complex stuff
  - complex returns as ready to use text (i. e. escape substructures to strings)
- return hashes keyed as MARC:

1. Field/Subfield: `I245__a`
2. Structure: `I536__`

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Backend

Expose records in JSON structures to JavaScript

- no repeatable subfields simplifies JSON
- define new output format: JS
- define format templates for each record type
  - use webbased frontend if possible
  - use pythonic BFE only for complex stuff
  - complex returns as ready to use text (i. e. escape substructures to strings)
- return hashes keyed as MARC:
  1. Field/Subfield: `I245__a`
  2. Structure: `I536__`
- innerrecordlinks: return from the backend (e. g. 536__ and 913__)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Generate People Records

Use the local phone book (=LDAP, avoid privacy issues)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Generate People Records

Use the local phone book (=LDAP, avoid privacy issues)

- LDAP harvesting (once a night, currently cron)
- unique IDs over time (email not suitable: limited TTL, recycling for common names)
- allow for arbitrary IDs
- allow for multiple IDs per entity (0247_ vs. 035__a)
- allow usage of IDs from several sources

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Generate People Records

Use the local phone book (=LDAP, avoid privacy issues)

- LDAP harvesting (once a night, currently cron)
- unique IDs over time (email not suitable: limited TTL, recycling for common names)
- allow for arbitrary IDs
- allow for multiple IDs per entity (0247_ vs. 035__a)
- allow usage of IDs from several sources

Goal

Implement ORCiD linkup with automagic registration/fetching

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics

Use Marc 915__

Upon journal association: keys → bibliographic records

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics

Use Marc 915__

Upon journal association: keys → bibliographic records

- Pythonic beancounters (use `intbitsets`)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics

Use Marc 915__

Upon journal association: keys → bibliographic records

- Pythonic beancounters (use `intbitsets`)
- allow live Web query (if fast enough)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics

Use Marc 915__

Upon journal association: keys → bibliographic records

- Pythonic beancounters (use `intbitsets`)
- allow live Web query (if fast enough)
- allow complex queries

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics

Use Marc 915__

Upon journal association: keys → bibliographic records

- Pythonic beancounters (use `intbitsets`)
- allow live Web query (if fast enough)
- allow complex queries, e. g.
  - output per institute and/or program
  - all JCR covered journal articles with external authors
  - all Scopus listed articles from John Smith (director of Inst X)
  - ...

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics

Use Marc 915__

Upon journal association: keys → bibliographic records

- Pythonic beancounters (use `intbitsets`)
- allow live Web query (if fast enough)
- allow complex queries, e. g.
  - output per institute and/or program
  - all JCR covered journal articles with external authors
  - all Scopus listed articles from John Smith (director of Inst X)
  - ...
- CLI is enough, but should be easily adoptable

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics

Use Marc 915__

Upon journal association: keys → bibliographic records

- Pythonic beancounters (use `intbitsets`)
- allow live Web query (if fast enough)
- allow complex queries, e. g.
  - output per institute and/or program
  - all JCR covered journal articles with external authors
  - all Scopus listed articles from John Smith (director of Inst X)
  - ...
- CLI is enough, but should be easily adoptable
- generate LaTeX-based reports

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics

Use Marc 915__

Upon journal association: keys → bibliographic records

- Pythonic beancounters (use `intbitsets`)
- allow live Web query (if fast enough)
- allow complex queries, e. g.
  - output per institute and/or program
  - all JCR covered journal articles with external authors
  - all Scopus listed articles from John Smith (director of Inst X)
  - ...
- CLI is enough, but should be easily adoptable
- generate LaTeX-based reports
- generate structured outputs (for spreadsheet, literature management)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics/2: Bibliometrics

Mainly in Jülich: JuSER is source for bibliometric evaluations

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

Statistics/2: Bibliometrics

Mainly in Jülich: JuSER is source for bibliometric evaluations

- link up with `Web of Science` (just another ID ⇒ 0247_)
- semiautomatic `Web of Science`-ID assignments (doi2ut)
- specific exports
- planned: direct link to workflow tools

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Statistics/2: Bibliometrics

Mainly in Jülich: JuSER is source for bibliometric evaluations

- link up with `Web of Science` (just another ID ⇒ 0247_)
- semiautomatic `Web of Science`-ID assignments (doi2ut)
- specific exports
- planned: direct link to workflow tools

In principle

. . . all queries can be done in the Webfrontend

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

OpenAccess

- Aquire more fulltexts

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

OpenAccess

- Aquire more fulltexts
- At least give a stable link (e. g. pubmed-Central, OA-Journals)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

OpenAccess

- Aquire more fulltexts
- At least give a stable link (e. g. pubmed-Central, OA-Journals)
  - Use statistics key for OA-Journals (for DOAJ-listed journals)

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

OpenAccess

- Aquire more fulltexts
- At least give a stable link (e. g. pubmed-Central, OA-Journals)
  - Use statistics key for OA-Journals (for DOAJ-listed journals)
  - enrich upon ingest

Mitglied der Helmholtz-Gemeinschaft

BY NC SA

OpenAccess

- Aquire more fulltexts
- At least give a stable link (e. g. pubmed-Central, OA-Journals)
  - Use statistics key for OA-Journals (for DOAJ-listed journals)
  - enrich upon ingest
- Implement “Allianz-Licensing” (ingest publishers versions)

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

OpenAccess

- Aquire more fulltexts
- At least give a stable link (e. g. pubmed-Central, OA-Journals)
  - Use statistics key for OA-Journals (for DOAJ-listed journals)
  - enrich upon ingest
- Implement “Allianz-Licensing” (ingest publishers versions)
- Make OA-Articles more prominent (e. g. logo, collection)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

OpenAccess

- Aquire more fulltexts
- At least give a stable link (e. g. pubmed-Central, OA-Journals)
  - Use statistics key for OA-Journals (for DOAJ-listed journals)
  - enrich upon ingest
- Implement “Allianz-Licensing” (ingest publishers versions)
- Make OA-Articles more prominent (e. g. logo, collection)
- OpenAIRE compliance

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

OpenAccess

- Aquire more fulltexts
- At least give a stable link (e. g. pubmed-Central, OA-Journals)
  - Use statistics key for OA-Journals (for DOAJ-listed journals)
  - enrich upon ingest
- Implement “Allianz-Licensing” (ingest publishers versions)
- Make OA-Articles more prominent (e. g. logo, collection)
- OpenAIRE compliance
- OAI-Harvesting for BASE and friends

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Next Steps

- Upgrade from 1.0 to 1.1 or, more likely, 1.2 (fix OAI Server!)
- Feed Google Scholar (how?)
- Get pending instances online:
  - RWTH Aachen
  - MLZ
- At Jülich: implement crossharvesting (RWTH $\leftrightarrow$ FZJ $\leftrightarrow$ MLZ)
- Add workflow for “vita” (workflows for special collections)

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Next Steps

- Upgrade from 1.0 to 1.1 or, more likely, 1.2 (fix OAI Server!)
- Feed Google Scholar (how?)
- Get pending instances online:
  - RWTH Aachen
  - MLZ
- At Jülich: implement crossharvesting (RWTH ↔ FZJ ↔ MLZ)
- Add workflow for “vita” (workflows for special collections)

Continually refactor/check code to get ready to give back

Mitglied der Helmholtz-Gemeinschaft

cc BY NC SA

Project partners

Deutsches Elektronensynchrotron, Zentralbibliothek

Forschungszentrum Jülich, Zentralbibliothek

GSI Helmholtzzentrum für Schwerionenforschung, Biblitohek + Kern-IT

RWTH Aachen, Hochschulbibliothek

Maier-Leibniz-Zentrum, Garching

Mitglied der Helmholtz-Gemeinschaft

CC BY NC SA

Questions?

Alexander Wagner
Zentralbibliothek

Fachinformation,
wiss. Publizieren

Tel.: 1586
a.wagner@fz-juelich.de

http://www.fz-juelich.de/zb

This document is available as FZJ-2013-02764

Mitglied der Helmholtz-Gemeinschaft