CO-DESIGN IN EPI

16 MAY 2019 – EUROHPC SUMMIT WEEK

ESTELA SUAREZ & DIRK PLEITER (JSC)

European Processor Initiative

PROCESSOR-LEVEL CO-DESIGN IN EPI

- Bi-directional and iterative interaction process between:
  - application experts and
  - hardware (HW) and system-software (SW) developers
- Goal:
  - Identify application's requirements
  - Feed these into design of EPI's HW+SW technologies



Copyright © European Processor Initiative 2019. EuroHPC Summit Week (Poznan) / Estela Suarez & Dirk Pleiter (JSC)

CO-DESIGN SCOPE IN EPI

- Focus on giving quality feedback to HW/SW designers
  - not enough effort for full application porting
  - co-design between Applications and HW/SW
    - co-design between HW and SW happens in other WPs
- Multi-level suite of benchmarks
  - from very low- synthetic benchmarks to high-level applications
- Methodology with multi-level models & simulators
  - 1). analytical models, high level
  - 2). simulation based (e.g. gem5 simulation engine)
  - 3). reference platform (e.g. Marvell ThunderX2)

CO-DESIGN PROCESS



APPLICATION SELECTION CRITERIA

C1	Relevant (now or in 5-years) for markets addressed by EPI	HPC, HPDA/AI, automotive
C2	Its requirements covers architectural components	CPU perf., I/O, Mem-Cap., Mem-BW, Mem-Lat., vector units, dedicated accel., virt.
C3	Represent a family/class of applications	Highly scalable tightly-coupled, embarrassingly parallel, ML, data analytics
C4	Close relation to code developers	
C5	Licence allows development of mini-apps/derived benchmarks (preferable OpenSource)	
C6	Reference data available from other platforms	x86, commercial ARM, GPGPU, Power
C7	Application uses/covers a software component/ programming model relevant for an EPI market	MPI, OpenMP, OpenAcc, PGAS, Berkeley Socket, JVM
C8	Application features relatively simple kernel	
C9	High societal impact	
C10	Part of an existing benchmark suite, or widely known	
C11	Mini-app or kernels already available	

FIELDS PRESENT IN CURRENT APPLICATION SELECTION

- Biophysics
- Biology/Medicine
- Earth Sciences/Climate
- HEP & Fusion
- Material Sciences
- CFD
- Hydrodynamics
- PDE
- Image / Media
- Automotive
- Cryptography
- HPDA
- Machine Learning
- Deep learning
- Cloud
- Data Base
- Reference benchmarks (HPL, HPCG, Stream, DGEMM...)

CURRENT SELECTION

Selection criteria

Field	App candidate	C1 (relevance in EPI market)					C2 (architecture feature it tackles/stresses								C3 (app. family)				C4	C5	C6				C7 (Ref. data)					C8	C9	C10	C11
		HPC	HPDA/ AI	auto-motive	rele-vant NOW	In 5 years	CPU perfor mance	I/O	mem. capac.	mem. BW	mem. Lat.	vector units	Acceler ators (Stencil /Tenso r/..)	Virtuali zation	Highly scalable tightly-coupled	embarrassin gly parallel	machine learning	data analytics			x86	COTS ARM	GPU	Powe r	MPI	Open MP	Open ACC	PGAS	Berke ley socke t				
Total		39	14	9.3	41.3	43.4	40	6.7	22.85	33.65	17.4	25.75	18.4	1	30.25	9.7	10	9	24.35	33.4	42	25.8	17.45	15.85	30.5	32.6	6	3	0.5	24	26.4	18.55	21.1
Biophysics	GROMACS	1	0	0	1	1	1	0	0	0	0	1	0.5	0	1	0	0	0	0.3	0.5	1	1	1	0.6	1	1	0	0	0	0.2	1	1	0.5
	CP2K	1	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	0	0.5	1	1	0	1	0	0	0	0	0	0	0	1	0	0
Biology / Medicine	ALYA	1	0	0	0	1	1	0	1	0	1	0	0	0	1	0	0	0	0	0	1	1	0	0	1	1	0	0	0	0	1	0	0
	Genome assembly	1	0	0	1	1	1	0	1	1	1	1	1	0	0	0	1	1	1	1	1	0	1	0	1	1	0	0	0	0	1	0	0
	NEST	1	0	0	1	1	1	0	1	0	1	0	0	0	1	0	0	0	1	1	1	1	0	1	1	0	0	0	0	0	1	0	0
Earth sciences / Climate	EC-EARTH	1	0	0	1	1	1	1	0.1	1	1	0	0	0	1	0	0	0	1	0.8	1	0	0	0	1	1	0	0	0	0	1	0	0
	ECMWF DWARF	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0
	NEMO	1	1	0	1	1	0.5	0.2	0	0.3	0	0	0	0	1	0	0	1	0	1	1	1	0	1	1	1	0	0	0	0	1	1	1
	SPECFEM3D	1	1	0	1	1	0.6	0.2	0	0	0	0.2	1	0	1	0	0	0	0	1	1	1	1	1	1	1	1	1	0	1	1	0	1
	RTM	1	0	0	1	1	1	0	0	1	0	0.6	1	0	1	0.25	0	0	1	1	1	1	0	0	0	0	1	0	0	0.5	0	1	0
HEP & Fusion	Grid	1	0	0	0	1	1	0	0	1	0	1	1	0	1	0	0	0	1	1	1	1	0	0	1	1	0	0	0	1	0	0	0
	tmLQCD	1	0	0	1	1	1	0	0	1	0	0	1	0	1	0	0	0	1	1	1	0	1	0	1	1	0	0	0	1	0	0	0
	GYSELA5D	1	0	0	1	1	0.6	0	0	0.3	0.1	0	0	0	1	0	0	0	0	0	1	1	0	1	1	1	0	0	0	0	1	1	0
Material Sciences	ABINIT	1	0	0	1	1	0.9	0	0	0.2	0	0.6	0	0	1	0	0	0	1	1	1	0	1	0	1	0.1	0	0	0	0	0	1	0
	Quantum ESPRESSO	1	0	0	1	1	0.8	0.2	0.3	0.5	0.5	0.5	1	0	1	0.2	0	0	1	1	1	1	1	1	1	1	0	0	0	0	1	1	1
	BigDFT	1	0	0	1	1	0.6	0	0	0	0	0	0.4	0	1	0	0	0	0	1	1	1	1	0	1	1	1	0	0	0	1	0	0
CFD	FEniCS	1	0	1	0.5	0.8	0.5	0.5	0.2	1	0	0.2	0.1	0	1	0	0	0	0.3	0.1	1	0.5	0	0.5	1	0	0	1	0	0	0.5	0	0
	NEK5000	1	0	1	1	1	1	1	0.5	1	0	0.7	0.8	0	1	0	0	0	0.7	1	1	0.5	0	0.5	1	1	1	0	0	0.8	1	1	1
	OpenFoam	1	0	0	0.6	1	1	0.1	0.5	1	0	0	0	0	1	0	0	0	1	0.5	1	0.8	0.2	0.5	1	0	0	0	0	1	1	1	0.1
	waLBerla	1	0	0	1	1	1	0	0	1	0	1	1	0	1	0	0	0	1	1	1	0	1	0	1	1	0	0	0	0	1	0	0
	NAS BT MZ	1	0	0	1	1	1	0	1	1	0	1	0	0	1	0	0	0	0	1	1	1	0	1	1	1	0	0	0	1	0	1	1
	NAS SP MZ	1	0	0	1	1	1	0	1	1	0	1	0	0	1	0	0	0	0	1	1	1	0	1	1	1	0	0	0	1	0	1	1
	AVBP	1	0	1	1	1	0.8	0	0	0	0.2	0.1	0	0	1	0	0	0	0	0	1	1	0	0	1	1	1	0	0	0	1	1	0
Ray tracing / Image / Media	Medical imaging	1	0	0	1	1	1	1	1	1	0	1	1	0	0.5	0.5	0	0	0.2	1	1	0	1	0	0	1	0	0	0	0	1	0	0
	Image processing/(Trans)coding	0	0	1	0	1	1	0.5	0.3	1	0	1	0.1	0	0	0	0	0	1	1	1	0	1	0	0	1	0	0	0	1	0	0	1
Big Data Analytics	Spark	0	1	0	1	0	0.5	0	1	0.5	0	0	0	0	0	1	1	1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	Hadoop	0	1	0	1	0	0.5	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	Flink	0	1	0	1	0	0.4	0	0	0.4	0.3	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
	Storm	0	1	0	1	0	0.8	0	0	0.5	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
Machine Learning	K-Nearest Neighbours	0	1	0.8	0.7	0.8	1	0	0.8	0.7	0.5	0.6	0	0	0	0	1	1	0	0	0	0	0.5	0.25	0	0	0	0	0	0	0	0	0
	High Performance Fuzzy Computing	1	1	0.75	0.75	1	1	0	0.75	0.75	0.25	0.75	0.75	0	0.5	0.75	1	1	0	0	0	0	1	0.25	0	0	0	0	0	0	0	0	0
	Random Forests	1	1	0.75	0.75	1	1	0	1	1	0.75	0.5	0.75	0	0.5	0.5	1	1	0	0	0	0	0.75	0.25	0	0	0	0	0	0	0	0	0
Deep Learning	Deep500	0	1	0	0	0	1	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0
	DNN kernels	0	1	0	1	1	1	0	0.5	0.8	0	0	1	0	0	1	1	0	1	1	0	0	0	0	0	0.5	0	0	0	1	0.1	0.8	0
Cloud	VMcontainers	0	0	0	0	0	0.8	0	0.8	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
DBMS (Data Base)	SQL	0	0	0	1	1	0	1	1	1	0.5	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	1	0	0
	NoSQL	0	0	0	1	1	0	1	1	0.5	1	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0.5	0	0.8	0	0
Automotive	Apollo Autonomous Driving Framework	0	0	1	1	1	1	0	0	0.5	0.5	1	0	0	0.25	0	1	0	0.1	1	1	1	1	0	0	1	0	0	0	1	1	0.5	0.5
	Lane tracking	0	0	1	1	1	1	0	0	1	0	1	1	0	0.5	0.5	0	0	1	1	1	1	1	0	0	1	0	0	0	1	1	0	0.5
Crypto acceleration	OpenSSL	0	0	1	1	1	0.5	0	0.1	0.1	0.1	0	1	0	0	0	0	0	0.25	0.5	1	1	0	0	0	0	0	0	0	0.5	1	0.25	0.5
Hydrodynamics	Lulesh	1	0	0	0	1	1	0	1	1	1	0	0	0	1	0	0	0	1	1	1	1	0	1	1	1	0	0	0	1	1	1	1
	HYDRO	1	0	0	0	1	1	0	1	1	1	1	0	0	1	0	0	0	1	1	1	1	0	1	1	1	0	0	0	1	1	0	1
PDE	minighost	1	0	0	0	0	0	0	0	1	0	0	1	0	1	0	0	0	0	0	1	0	1	0	1	0	1	1	0	0	0	0	0
Reference benchmarks	HPL	1	0	0	1	1	1	0	0.5	0.1	0	1	0	0	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	1
	HPCG	1	0	0	1	0.8	0.5	0	0.5	1	0.1	1	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	1	1
	Vector SpMV	1	1	0	1	1	0	0	1	1	1	1	0.5	0	1	0	1	0	1	1	1	1	0	1	1	1	0	0	0	1	1	0	1
	DGEMM	1	1	0	1	1	1	0	1	1	1	1	0.5	0	1	0	1	0	1	1	1	1	0	1	1	1	0	0	0	1	1	0	1
	Somier	1	0	0	1	1	1	0	1	1	1	1	0	0	1	0	0	0	1	1	1	1	0	1	1	1	0	0	0	1	0	0	1
	FFT	1	0	0	1	1	0	0	1	1	1	1	0	0	1	0	0	1	1	1	1	1	0	1	0	1	0	0	0	1	1	0	1
	HACC Kernels	1	1	0	0	0	1	0	0	1	1	1	1	0	0	1	0	0	1	1	1	1	0	0	1	1	0	0	0	1	0	1	1
	27- and 7-points Stencil	1	0	0	1	1	1	0	1	1	1	1	1	0	1	0	0	0	1	1	1	1	0	0	1	1	0	0	0	1	0	1	1
	Stream	1	0	0	1	1	0.2	0	0	1	0.1	0.5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	1
	FFTW	1	0	0	1	1	0.5	0	0	0.5	0.5	0.5	0	0	0	0	0	0	0	0	0	0	0	0	0.5	1	0	0	0	1	0	0	1

EPI PROCESSOR CO-DESIGN PARAMETERS

- General purpose cores
  - SVE length
  - Number of SVE pipelines per core
- Accelerator cores
  - Ratio of accelerator cores versus general purpose cores
  - Accelerator core design

- NOC and memory sub-system
  - NOC topology and bandwidth
  - Cache sizes and bandwidth
  - HBM size and bandwidth
  - DDR size and bandwidth

Other parameters to be considered for system level co-design
- Network architecture
- I/O architecture

EXAMPLE: DGEMM

L2 cache exploration with BLIS microkernel



CREDITS:

-P.Petrakis, V. Papaefstathiou et al. (FORTH): simulation execution an analysis
-B.Brank, S.Nassyr (FZJ): BLIS micro-kernel
-A.Portero (FZJ): Gem5 simulator setup

EXAMPLE: DGEMM

CREDITS:
-P.Petrakis, V. Papaefstathiou et al. (FORTH): simulation execution an analysis
-B.Brank, S.Nassyr (FZJ): BLIS micro-kernel
-A.Portero (FZJ): Gem5 simulator setup

SVE microkernel instruction mix

-To get peak numbers we need to feed the 2 SVE units with 2 FMA instruct. per cycle.
-For a 4-wide core the code must have more than 50% FMA instructions in the mix.
-Peak value at: ~2.3 FMA/cycle and ~1.45 loads/cycle



CO-DESIGN IN JAPANESE EXASCALE PROGRAM

- SPIRE (Strategic Programs for Innovative Research) selected 5 strategic application areas
  - Large fraction of compute resources will be dedicated to SPIRE
  - Selected areas: Life science/drug manufacturing, new materials/energy creation, Global change prediction for disaster prevention/mitigation, manufacturing technology, the origin of matter and the universe
  - 9 social and scientific priority issues identified
- Selected 9 target apps from each area for “co-design”

	Target Application	
	Program	Brief description
①	GENESIS	MD for proteins
②	Genomon	Genome processing (Genome alignment)
③	GAMERA	Earthquake simulator (FEM in unstructured & structured grid)
④	NICAM+LETK	Weather prediction system using Big data (structured grid stencil & ensemble Kalman filter)
⑤	NTChem	molecular electronic (structure calculation)
⑥	FFB	Large Eddy Simulation (unstructured grid)
⑦	RSDFT	an ab-initio program (density functional theory)
⑧	Adventure	Computational Mechanics System for Large Scale Analysis and Design (unstructured grid)
⑨	CCS-QCD	Lattice QCD simulation (structured grid Monte Carlo)

CO-DESIGN IN US EXASCALE PROGRAM

- 10 research areas driven by national labs
  - Nuclear energy, climate, carbon capture and storage, wind energy, combustion, magnetic fusion energy, advanced manufacturing, chemical sciences, precision medicine for cancer, urban system sciences, cosmology, high energy and nuclear physics, accelerator physics, astrophysics, geoscience, metagenomics, nuclear materials, seismic, power grid
- 5 co-design centres for different application motifs
  - CODAR: Co-Design Center for Online Data Analysis and Reduction; COPA: Co-Design Center for Particle Applications; AMReX: Block-Structured AMR Co-Design Center; CEED: Center for Efficient Exascale Discretizations; ExaGraph: GraphEx Co-Design Center; ExaLearn: Co-Design Center for Exascale Machine Learning Technologies
- ECP proxy applications program https://proxyapps.exascaleproject.org/
  - Option to submit more applications
  - Standards for proxy-applications defined

Proxy App
AMG
CANDLE Benchmarks
Ember
ExaMiniMD
Laghos
MACSio
miniAMR
miniQMC
miniVite
NEKbone
PICSARlite
SW4lite
SWFFT
thornado-mini
XSBench

European Processor Initiative
epi

PARTNERS INVOLVED IN EPI CO-DESIGN

JÜLICH Forschungszentrum

ETH zürich

TÉCNICO LISBOA

Fraunhofer

Atos

BSC Barcelona Supercomputing Center
Centro Nacional de Supercomputación

CINECA

cea

ALMA MATER STUDIORUM UNIVERSITÀ DI BOLOGNA

E4 COMPUTER ENGINEERING

UNIVERSITÀ DI PISA

FER

KALRAY

SURF SARA

GENCI

FORTH INSTITUTE OF COMPUTER SCIENCE

Infineon