

Your abstract submission has been received

Click [here](#) to print this page now.

You have submitted the following abstract to PRiME 2020 (ECS, ECSJ, & KECS Joint Meeting). Receipt of this notice does not guarantee that your submission was complete, free of errors, or accepted for presentation.

Combined Two-Phase Co-Flow and Counter-Flow in a Gas Channel and Porous Transport Layer Assembly

S. B. Beale (Forschungszentrum Jülich GmbH, Queen's University), M. Andersson (Lund University), N. Weber (Helmholtz-Zentrum Dresden-Rossendorf), H. Marschall (Technische Universität Darmstadt), and W. Lehnert (Forschungszentrum Jülich GmbH, RWTH Aachen University)

Abstract Text:

Polymer electrolyte fuel cells and electrolyzers are low temperature devices whereby both gases and liquids intermingle within the porous transport layers and open channels. The flow of the liquid and gas is of paramount importance to the functioning of the unit. This motion is poorly understood. Cell-level models typically employ volume-averaging techniques to describe the motion of the flowing reactants and products. Until recently, detailed analysis of the two-phase liquid gas mixture, employing front-tracking methods has proved too computationally prohibitive. Previous work [1,2] has considered the motion of liquid drops in gas channels, it being assumed the drops are formed at specific nucleation sites on the sides of the channels. The present work considers a detailed numerical analysis of combined liquid-gas co-flow in a gas channel with liquid-gas counter-flow in a porous transport layer (PTL). The geometry considered is a 'T-shape' with the porous transport layer in the form of a thin rectangular prism of dimensions $0.5 \times 0.5 \times 0.1 \text{ mm}^3$ located at the base of the 'T', and the gas flowing across the top channel, as shown in Fig. 1. The PTL is reproduced by digital reconstruction of nano-computer tomography images of a Freudenberg H2315 PTL as a stereolithography file*, see Figure 2(a). From this, the domain is tessellated with an unstructured castellated, or octree, type mesh, Fig. 2(b). Liquid water is introduced at an electrode at the base of the PTL and gaseous oxygen is simultaneously removed by electrochemical reduction; the resulting liquid-gas counter-flow in the porous transport layer effects liquid droplets being entrained in co-flow in the gas channel and being convected downstream, thereafter.

The equations of mass and momentum are solved by means of the open source software library OpenFOAM. A volume-of-fluid approach based on the multidimensional universal limiter for explicit solution was employed. At $t = 0$, the channel is presumed to be filled with gas, and the PTL partially saturated with liquid water. Gas is introduced at the inlet at a given velocity. Water is added and gas removed at the electrode (counter-flow), whereas both water and gas are removed at the outlet (co-flow). At the channel walls and on the PTL fibres, the static contact angle is fixed.

Some results are shown in Fig. 3(a-d). It can be seen that the location and size of the drops shed varies somewhat in space and time, i.e., there is a stochastic component to the motion of the fluid, due to the spatial distribution of the fibres in the PTL, the transient shedding process, and the merging of liquid streams flowing into the gas channel. Nonetheless a definite periodicity is observed, with drops being injected into the channel at a fairly regular rate. Some relatively minor switching with time is observed within the PTL due to the random packing of fibres, but these transients are relatively quiescent. In addition to providing important new information about flow and pressure losses in electrochemical cells as a function of current density and stoichiometry, the present model may be also used to enumerate properties such as relative permeability which can subsequently be employed in cell-scale models.

* The authors wish to thank Mr. Eugen Hoppe for constructing a stereolithography file of the porous material used in this study.

[1] Andersson, M., Beale, S.B., Reimer, U., Lehnert, W., Stolten, D., Int. J. Hydrog. Energy, 2018, 43(5): 2961-2976.

[2] Andersson, M., Mularczyk, A., Lamibrac, A., Beale, S.B., Eller, J., Lehnert, W., Büchi, F.N., J. Power Sources, 2018. 404: 159-171.




Figure 1. Schematic of problem under consideration.




Figure 2. (a) Detail of the digitally reconstructed PTL (b) slice of castellated mesh showing channel and PTL regions in a centre-plane corresponding to the main flow direction.




Figure 3. Drop formation in the PTL and subsequent convection downstream in the gas channel (a) $T = 0s$ (b) $T = 0.0008s$ (c) $T = 0.0016s$ (d) $T = 0.0024s$.

Symposium Selection:

I01B - Polymer Electrolyte Fuel Cells & Electrolyzers 20 (PEFC&E 20) - Cells, Stacks and Systems

Submitter's E-mail Address:

s.beale@fz-juelich.de

Preferred Presentation Format:Oral -- *withdraw if not accepted for preferred format*First Corresponding Author

Prof. Steven B. Beale

Affiliation(s): Forschungszentrum Jülich GmbH; Queen's University**Address:**

Institute of Energy and Climate Research, IEK-14

Jülich, 52425

Germany

Phone Number: +49 2461 618856**E-mail Address:** s.beale@fz-juelich.deSecond Author

Dr. Martin Andersson

Affiliation(s): Lund University**Phone Number:** +46 7096 81880**E-mail Address:** martin.andersson@energy.lth.seThird Author

Dr. Norbert Weber

Affiliation(s): Helmholtz-Zentrum Dresden-Rossendorf**Phone Number:****E-mail Address:** norbert.weber@hzdr.deFourth Author

Dr. Holger Marschall

Affiliation(s): Technische Universität Darmstadt**Phone Number:****E-mail Address:** marschall@mma.tu-darmstadt.deFifth Author

Prof. Werner Lehnert

Affiliation(s): Forschungszentrum Jülich GmbH; RWTH Aachen University**Phone Number:** +49 2461 613915**E-mail Address:** w.lehnert@fz-juelich.de

If necessary, you can make changes to your abstract between now and the deadline of [Friday, May 29 2020](#)

- To access your submission in the future, use the direct link to your abstract submission from one of the automatic confirmation emails that were sent to you during the submission.
- Or point your browser to [/ecs/reminder.cgi](#) to have that URL mailed to you again. Your username/password are 140741/144028.

Any changes that you make will be reflected instantly in what is seen by the reviewers. You DO NOT need to go through all of the submission steps in order to change one thing. If you want to change the title, for example, just click "Title" in the abstract control panel and submit the new title.

When you have completed your submission, you may close this browser window.

[Tell us what you think of the abstract submittal](#)

[Home Page](#)